

# Inference

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S67	1	((cache near (non-volatile or nonvolatile)) or nvcache or nv-cache) with (meta-data or metadata) and (point\$3 or identifier\$2 or address\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 03:31
S68	5	((cache with (non-volatile or nonvolatile)) or nvcache or nv-cache) with (meta-data or metadata) and (point\$3 or identifier\$2 or address\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 05:29

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	88	S42 and (metadata meta-data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 13:37
S44	69	S43 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 13:38
S48	471	S47 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:05
S47	916	(meta-data or metadata) with (mirror\$3 or redundan\$3 or replicat\$3 or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:05
S46	23	S45 and (metadata meta-data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:05
S45	360	(map\$4 near table\$2) with (mirror\$3 or redundan\$3 or replicat\$3 or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:05
S50	170	S49 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:06
S52	52	S51 and (meta-data or metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:26

## EAST Search History

S51	296	(volatile and non-volatile) near cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:26
S49	222	S48 and (volatile and non-volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:26
S42	846	(cache near (mirror\$3 or redundan\$3 or replicat\$3 or backup\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:28
S53	40	S52 and (mirror\$3 or redundan\$3 or replicat\$3 or backup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:29
S41	1	10/775432	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 13:57
S54	92	(volatile or sdram or dram) near (metadata or meta-data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 13:58
S55	48	S54 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 13:59
S56	30	S55 and (cache near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:34

## EAST Search History

S60	21	S59 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:35
S58	0	metadata near configuraton	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:35
S57	0	metadata adj configuraton	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:35
S59	51	metadata adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:39
S62	14	S61 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:40
S61	26	metadata adj descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:00
S65	547	((metadata or meta-data)) near (link or point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:01
S64	2	((metadata or meta-data) adj descriptor) near (link or point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:01

## EAST Search History

S63	2	(metadata adj descriptor) near (link or point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:01
S66	410	S65 and @ad<"20040210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 03:26
S67	1	((cache near (non-volatile or nonvolatile)) or nvcache or nv-cache) with (meta-data or metadata) and (point\$3 or identifier\$2 or address\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 03:31
S68	5	((cache with (non-volatile or nonvolatile)) or nvcache or nv-cache) with (meta-data or metadata) and (point\$3 or identifier\$2 or address\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 05:29